

System 3

and issued:

Test Protocol No. 316-1 -236 / 26.05.2026
From TESTING CENTER FOR CONSTRUCTION (TCC) at
BUILDING RESEARCH INSTITUTE- NISI Ltd

ACCREDITED ACCORDING TO EN ISO/IEC 17025:2018
CERTIFICATE REG. NO.88 JIH/14.06.2024
ISSUED BY EA BSA AND VALID UNTIL 07.10.2026
SECTOR CONCRETE& REINFORCING STEEL, BUILDING MATERIALS &
PRODUCTS

from Testing Laboratory Solar Project Ltd, NB 2145

7. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Water Absorption	5.7%	EN 1340:2003/AC:2006
Resistance to freeze-thaw with de-icing salts –Mass loss after freeze/thaw test	0.8 kg/m2	EN 1340:2003/AC:2006
Bending strength	4.7 MPa	EN 1340:2003/AC:2006
Abrasion resistance	18700 mm3	EN 1340:2003/AC:2006

8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by: